

Ordinance 58-14

Sewer Connection

11/18/1958

ORDINANCE NO. 58-14

AN ORDINANCE OF THE TOWNSHIP OF HOPEWELL,  
BEAVER COUNTY, PENNSYLVANIA, PROVIDING FOR  
REQUIREMENTS AND SPECIFICATIONS FOR THE  
INSTALLATION OF SEWER CONNECTIONS TO THE  
TOWNSHIP SEWER SYSTEM.

BE IT ORDAINED AND ENACTED and it is hereby ordained and enacted by the Board of Commissioners of Hopewell Township, Beaver County, Pennsylvania, by the authority of the same as follows:

SECTION 1. That all future installations of sewer lines from Y connection in main sewer to the footer of a house, building, residence or other edifice being serviced by the Township Sewer System, shall be of <sup>four (4) inch or</sup> six (6) inch slip-seal tile.

SECTION 2. That all other sewer pipe necessary to said connection under footer, basement and foundation shall be of extra heavy four (4) inch cast iron soil pipe.

SECTION 3. That a clean out plug shall be installed as close to the outer wall of all buildings as physically possible on every future installation connecting with the Township Sewer System.

SECTION 4. That the fall of all sewer installation shall be no less than one fourth ( $\frac{1}{4}$ ) of an inch to the foot.

SECTION 5. That no installation shall contain sewer pipe with a curve exceeding forty-five (45) degrees.

SECTION 6. That every property owner desiring to or required to connect to the Township Sewer System shall first pay the established fee and obtain a permit from the Township Secretary before beginning the installation or connections of any sewer pipe to the Township Sewer System.

SECTION 7. All sewer installations connecting to the Township Sewer System shall be inspected by the Township Sewer Inspector before they are covered.

ORDAINED AND ENACTED into ordinance this 18<sup>th</sup> day of November, 1958.

BOARD OF COMMISSIONERS HOPEWELL TOWNSHIP

By Paul Daugherty President.

ATTEST:

Charlotte M. Buffington  
Secretary.

# Proof of Publication

The Beaver Valley Times, a daily newspaper of general circulation, published by BEAVER NEWSPAPERS, Inc., a Pennsylvania corporation, 570 Third Street, Beaver, Beaver County, Pennsylvania, was established in 1946, and has been issued regularly, except legal holidays, since said date.

The attached advertisement, which is exactly as printed and published, was published in the regular issue of said newspaper, on November 22, 1958.

The cost of advertising and proof, \$ 20.50, has been paid. *Dec. 10, 1958*

BEAVER NEWSPAPERS, Inc.

By James R. Miller  
(Per M. M.)

STATE OF PENNSYLVANIA, }  
COUNTY OF BEAVER, } SS:

Before me, a Notary Public in and for said county and state, personally appeared James R. Miller, who being duly sworn

according to law says that he is Treasurer of BEAVER NEWSPAPERS, Inc.; that neither affiant nor said corporation is interested in the subject matter of the attached advertisement; and that all of the allegations of the foregoing statement including those as to the time, place and character of publication are true.

James R. Miller  
Treasurer

Sworn to and subscribed before me  
this 22nd day of November, 1958  
Maude F. McBrier

MAUDE F. McBRIER, NOTARY PUBLIC  
My Commission Expires March 5, 1961  
Beaver, Pa. Beaver County

TOWNSHIP OF HOPEWELL  
OFFICIAL  
ORDINANCE NO. 58-14  
AN ORDINANCE OF THE TOWNSHIP OF HOPEWELL, BEAVER COUNTY, PENNSYLVANIA, PROVIDING FOR REQUIREMENTS AND SPECIFICATIONS FOR THE INSTALLATION OF SEWER CONNECTIONS TO THE TOWNSHIP SEWER SYSTEM.  
BE IT ORDAINED AND ENACTED and it is hereby ordained and enacted by the Board of Commissioners of Hopewell Township, Beaver County, Pennsylvania, by the authority of the same as follows:  
SECTION 1. That all future installations of sewer lines from Y connection in main sewer to the footer of a house, building, residence or other edifice being serviced by the Township Sewer System, shall be of four (4) inch or six (6) inch slip-seal tile.  
SECTION 2. That all other sewer pipe necessary to said connection under footer, basement and foundation shall be of extra heavy four (4) inch cast iron soil pipe.  
SECTION 3. That a clean out plug shall be installed as close to the outer wall of all buildings as physically possible on every future installation connecting with the Township Sewer System.  
SECTION 4. That the fall of all sewer installation shall be no less than one-fourth (1/4) of an inch to the foot.  
SECTION 5. That no installation shall contain sewer pipe with a curve exceeding forty-five (45) degrees.  
SECTION 6. That every property owner desiring to or required to connect to the Township Sewer System shall first pay the established fee and obtain a permit from the Township Secretary before beginning the installation or connections of any sewer pipe to the Township Sewer System.  
SECTION 7. All sewer installations connecting to the Township Sewer System shall be inspected by the Township Sewer Inspector before they are ordered.  
ORDAINED AND ENACTED into ordinance this 18th day of November, 1958.  
BOARD OF COMMISSIONERS  
HOPEWELL TOWNSHIP  
By PAUL DOUGHERTY  
TEST:  
CHARLOTTE M. BUFFINGTON  
(Notary Public)