Ordinance 64-8

Sewage Disposal

ORDINANCE NO. 64-8

AN ORDINANCE AMENDING ORDINANCE NO. 60-2, ENTITLED "AN ORDINANCE OF THE TOWNSHIP OF HOPEWELL, BEAVER COUNTY, PENNSYLVANIA, PROVIDING FOR SEWAGE DISPOSAL, SETTING FORTH SPECIFICATIONS, TABLES, TESTS, RULES AND REGULATIONS FOR THE CONSTRUCTION AND MAINTENANCE OF SEPTIC TANKS AND SEPTIC TANK SYSTEMS, PROVIDING FOR FEES AND IMPOSING PENALTIES." BY ADDING SECTION 7a, b, c, d and e PROVIDING FOR BASEMENT SEWER LINE SPECIFICATIONS, INSTALLATION REQUIREMENTS AND INSPECTION.

BE IT ORDAINED AND ENACTED by the Board of Commissioners of Hopewell Township, Beaver County, Pennsylvania, and it is hereby ordained and enacted by authority of the same as follows:

SECTION 1. That Ordinance No. 60-2 be and the same is hereby amended by adding the following provisions:

"SECTION 7a. That all sewer pipe necessary under footer, basement and foundation shall be of extra heavy four (4) inch cast iron soil pipe. (Note: Terra Cotta Pipe may be used.) b. That a clean out plug shall be installed (inside the house) as close to the outer wall of all buildings

as physically possible on every installation.

c. That the fall of all sewer installations shall

be no less than one fourth (\frac{1}{4}) of an inch to the foot.

d. That no installation shall contain sewer pipe with a curve exceeding forty-five (45) degrees.

e. All sewer installations shall be inspected

by the Township Engineer or his agent before they are covered."

ENACTED AND ORDAINED into an Ordinance this 9th day of November, 1964.

> BOARD OF COMMISSIONERS HOPEWELL TOWNSHIP

Vice - President.

ATTEST:

harlotte M. Buffington (SEAL)

BEAVER COUNTY TIMES

Successor to The Daily Times Established April 2, 1874 West Bridgewater - Ambridge Aliquippa - Beaver Falls MAILING ADDRESS P.O. Box 400, Beaver, Pa. 15009

Proof of Publication

The Beaver County Times a daily newspaper of general circulation, published by BEAVER NEWSPAPERS, Inc., a Pennsylvania corporation, 400 Fair Avenue, West Bridgewater, Beaver County, Pennsylvania, was established in 1946, and has been issued regularly, except legal holidays, since said date.

The attached advertisement, which is exactly as printed and published, was published in the regular issue of said newspaper, on November 17, 1964.	
The cost of advertising and proof, \$ 23.50 , has been paid. Nov. 27, 1964	
TOWNSHIP OF HOPEWELL	BEAVER NEWSPAPERS, Inc.
OFFICIAL ORDINANCE NO. 64-8 AN ORDINANCE AMENDING ORDI- NANCE NO. 60-2, ENTITLED "AN OR- DINANCE OF THE TOWNSHIP OF HOPEWELL, BEAVER COUNTY, PENN- SYLVANIA, PROVIDING FOR SEWAGE DISPOSAL, SETTING FORTH SPECIFI- CATIONS, TABLES, TESTS, RULES AND REGULATIONS FOR THE CONSTRUC- TION AND MAINTENANCE OF SEPTIC FANYS AND SEPTIC TANY SYCREME	By James P. Miller (Per M. M.)
FANKS AND SEPTIC TANK SYSTEMS, PROVIDING FOR FEES AND IMPOSING PENALTIES." BY ADDING SECTION AS, b, c, d and e PROVIDING FOR BASEMENT SEWER LINE SPECIFICA-PIONS, INSTALLATION REQUIREMENTS AND INSPECTION.	STATE OF PENNSYLVANIA,)
BE IT ORDAINED AND ENACTED by he Board of Commissioners of Hopewell Fownship, Beaver County, Pennsylvania, and it is hereby ordained and enacted by authority of the same as follows:	COUNTY OF BEAVER, SS: Before me, a Notary Public in and for said county and state, personally
SECTION 1. That Ordinance No. 60-2 on and the same is hereby amended by idding the following provisions: "SECTION 7a. That all sewer pipe necessary under footer, basement and oundation shall be of extra heavy four.	appeared James R. Miller , who being duly sworn
b. to a cast iou soil pipe. (Note: Terra out a pipe may be used.) b. That a clean out plug shall be intalled (inside the house) as close to the uter wall of all buildings as physically ossible on every installation. c. That the fall of all sewer installations shall be no less than one fourth (1/4)	according to law says that he is <u>Secretary-Treasurer</u> of BEAVER NEWSPAPERS, Inc.; that neither affiant nor said corporation is interested in the subject matter of the attached advertisement; and that all of the allegations of the foregoing statement including those as to the time,
f an inoh to the foot. d. That no installation shall contain ewer pipe with a curve exceeding forty- ive (45) degrees. e. All sewer installations shall be in- pected by the Township Engineer or his	place and character of publication are true.
gent before they are covered." ENACTED AND ORDAINED into an ordinance this 9th day of November, 1964. BOARD OF COMMISSIONERS HOPEWELL TOWNSHIP By GINO PIROLI	Secretary Treasurer
Vice-President ATTEST: Charlotte M. Buffington Secretary (SEAL)	Sworn to and subscribed before me this 7th day of November, 19 64
11/17	Maude & Mignier
	WATTE WORDLED NOTATIVE STREET

MAUDE F. McBRIER, NOTARY PUBLIC
My Commission Expires March 5, 1965
Beaver, Pa. Beaver County